Volume Contents 2002

NUMBER 1

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero, P. Martínez-Ruiz and P. Chicharro Villas 1 Bridgehead-norbornane-derived β-amino alcohol catalysts: structural factors influencing the chirality transfer

M. J. Vilaplana, P. Molina, A. Arques, C. Andrés and R. Pedrosa 5 Synthesis of the novel chiral 1,3-amino alcohol 8-*N*,*N*-bis(ferrocenylmethyl)amino-menthol and its use as catalyst in the enantioselective addition of diethylzinc to aldehydes

G.-J. Lee, T. H. Kim, J. N. Kim and U. Lee 9 L-Valinol and L-phenylalaninol-derived 2-phenylamino-2-oxazolines as chiral auxiliaries in asymmetric alkylations

Y. Yamamura, F. Toriyama, T. Kondo and A. Mori 13 Chirality transfer from silicon to carbon via diastereoselective Simmons–Smith cyclopropanation of chiral alkenylsilanols

A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero and B. Lora Maroto 17 A new enantiospecific synthetic procedure to the taxoid-intermediate 10-methylenecamphor, and 10-methylenefenchone

G. V. M. Sharma, V. G. Reddy, A. S. Chander and K. R. Reddy 21 Tetra-*n*-butylammonium fluoride: an efficient base for aza-Michael addition—synthesis of glycosyl β-amino acid esters

ARTICLES

V. I. Tararov, R. Kadyrov, Z. Kadyrova, N. Dubrovina and A. Börner 25 An improved synthesis of enantiopure 2-azabicyclo[2.2.1]heptane-3-carboxylic acid

R. E. Gawley, S. A. Campagna, M. Santiago and T. Ren 29 Lithiated camphor-derived oxazolidinone *S*,*N*-acetals as chiral formyl anion synthons in additions to aldehydes. Asymmetric synthesis of α-hydroxy aldehydes and α-hydroxy acids

H. Brunner, F. Henning and M. Weber 37 Enantioselective catalysis. Part 143: Astonishingly high enantioselectivity in the transfer hydrogenation of acetophenone with 2-propanol using Ru complexes of the Schiff base derived from (*S*)-2-amino-2′-hydroxy-1,1′-binaphthyl (NOBIN) and 2-pyridinecarbaldehyde

X. Chen, D.-M. Du and W.-T. Hua 43 A convenient method for synthesis of *trans*-4-cyclohexyl-L-proline

J. Thiel and A. Katrusiak 47 Asymmetric conversions of 10-bromo-10,11-dihydroquinines into 8-oxa-1-azabicyclo[4.3.0]nonane derivatives and related compounds

F. Faigl, A. Thurner, G. Tárkányi, J. Kovári and A. Mordini 59 Resolution and enantioselective rearrangements of amino group-containing oxiranyl ethers

S. Alcaro, I. D'Acquarica, F. Gasparrini, D. Misiti, M. Pierini and C. Villani 69 Enantioselective semi-preparative HPLC of two 2-arylpropionic acids on glycopeptides containing chiral stationary phases

T. Bauer, J. Tarasiuk and K. Paśniczek 77 Highly enantioselective diethylzinc addition to aldehydes catalyzed by D-glucosamine derivatives

M. Diéguez, O. Pàmies, A. Ruiz and C. Claver 83 Modular carbohydrate diphosphite and phosphite–phosphoroamidite ligands for asymmetric Rh-catalyzed hydrosilylation of ketones

V. K. Aggarwal, F. Sandrinelli and J. P. H. Charmant — 87 Synthesis of new, highly hindered C_2-symmetric *trans*-(2*S*,5*S*)-disubstituted pyrrolidines

M.-L. Bennasar, E. Zulaica, Y. Alonso, B. Vidal, J. T. Vázquez and J. Bosch — 95 Addition of chiral enolates to *N*-alkyl-3-acylpyridinium salts. Total synthesis of (+)-16-epivinoxine and (−)-vinoxine

A1 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 2

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

Z. Han, D. Krishnamurthy, D. Pflum, Q. K. Fang, H. Butler, T. S. Cameron, S. A. Wald and C. H. Senanayake — 107 First practical synthesis of enantiomerically pure (*R*)- and (*S*)-desmethylsibutramine (DMS) and unambiguous determination of their absolute configuration by single-crystal X-ray analysis

J.-B. Behr and G. Guillerm — 111 Synthesis of 6-deoxy-homoDMDP and its C(5)-epimer: absolute stereochemistry of natural products from *Hyacinthus orientalis*

Q. Zeng, H. Liu, X. Cui, A. Mi, Y. Jiang, X. Li, M. C. K. Choi and A. S. C. Chan — 115 Highly enantioselective hydrogenation of α-dehydroamino acids by rhodium complex with H_8-MonoPhos

D. Le Goanvic, M. Holler and P. Pale — 119 Chiral tridentate versus bidentate pyridines as catalysts in the enantioselective alkylation of benzaldehyde with diethylzinc

ARTICLES

N. Kuhnert, C. Straßnig and A. M. Lopez-Periago — 123 Synthesis of novel enantiomerically pure trianglimine and trianglamine macrocycles

L. Kondaveti, T. F. Al-Azemi and K. S. Bisht — 129 Lipase-catalyzed solvent-free kinetic resolution of substituted racemic ε-caprolactones

A. Figge, H. J. Altenbach, D. J. Brauer and P. Tielmann — 137 Synthesis and resolution of 2-(2-diphenylphosphinyl-naphthalen-1-yl)-1-isopropyl-1*H*-benzoimidazole: a new atropisomeric *P*,*N*-chelating ligand for asymmetric catalysis

Z. Li, Z. Zhou, L. Wang, Q. Zhou and C. Tang — 145 Enantioselective reaction of secondary alcohols with phthalimide in the presence of a chiral tri-coordinate phosphorus reagent in Mitsunobu reaction

A. Gama, L. Z. Flores-López, G. Aguirre, M. Parra-Hake, R. Somanathan and P. J. Walsh — 149 Steric effects in the design of chiral Schiff base–titanium complexes: new catalysts for asymmetric trimethylsilylcyanation of aldehydes

S. Jew, D.-Y. Lim, J.-Y. Kim, S. Kim, E. Roh, H.-J. Yi, J.-M. Ku, B. Park, B. Jeong and H. Park — 155 Asymmetric synthesis of (*S*)-4-(2,2,4-trimethyl-1,3-dioxolan-4-yl)-1-butanol, a key intermediate for (1*S*,5*R*)-(−)-frontalin via asymmetric bromolactonization

Y.-Z. Zhu, Z.-P. Li, J.-A. Ma, F.-Y. Tang, L. Kang, Q.-L. Zhou and A. S. C. Chan — 161 Synthesis of chiral bis(oxazolinyl)bipyridine ligands and related helical metal complexes

P. Merino, J. Revuelta, T. Tejero, U. Chiacchio, A. Rescifina, A. Piperno and G. Romeo — 167 Enantioselective synthesis of 4-hydroxy-D-pyroglutamic acid derivatives by an asymmetric 1,3-dipolar cycloaddition

P. Merino, J. A. Mates, J. Revuelta, T. Tejero, U. Chiacchio, G. Romeo, D. Iannazzo and R. Romeo 173 Experimental and theoretical study of the 1,3-dipolar cycloaddition between D-glyceraldehyde nitrones and acrylates. Diastereoselective approach to 4-hydroxy pyroglutamic acid derivatives

A. Arcelli, V. Cerè, F. Peri, S. Pollicino and A. Ricci 191 Synthesis of new enantiopure thiepane derivatives and their evaluation as glycosidase inhibitors

P. Dalla Croce and C. La Rosa 197 Stereoselective synthesis of (1*R*,4*R*)-*N*-acyl-2-oxa-5-aza-bicyclo[2.2.1]heptan-3-ones via mesoionic compounds. An improved synthesis of *cis*-4-hydroxy-D-proline

T. Bakó, P. Bakó, Á. Szöllösy, M. Czugler, G. Keglevich and L. Töke 203 Enantioselective Michael reaction of 2-nitropropane with substituted chalcones catalysed by chiral azacrown ethers derived from α-D-glucose

M. Toşa, C. Paizs, C. Majdik, L. Novák, P. Kolonits, F.-D. Irimie and L. Poppe 211 Synthesis of optically active 3-substituted-10-alkyl-10*H*-phenothiazine-5-oxides by enantioselective biotransformations

A17 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 3

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

M. J. Arévalo, M. Avalos, R. Babiano, P. Cintas, M. B. Hursthouse, J. L. Jiménez, M. E. Light and J. C. Palacios 223 Generation and fate of a novel homochiral mesoionic dipole: synthesis of *C*-nucleoside analogs

J.-L. Vasse, V. Levacher, J. Bourguignon and G. Dupas 227 Influence of the C(4)–C(3)–C=O dihedral angle of chiral NADH mimics on the stereoselectivity of reductions

M. C. Fernández, J. M. Quintela, M. Ruiz and V. Ojea 233 Diastereoselective synthesis of 4-substituted 2-amino-4-phosphonobutanoic acids

P. Ciuffreda, A. Loseto and E. Santaniello 239 Stereoselective deamination of (5′*RS*)-5′-methyl-2′,3′-isopropylidene adenosine catalyzed by adenosine deaminase: preparation of diastereomerically pure 5′-methyl adenosine and inosine derivatives

ARTICLES

J. Zhang and F. Kong 243 Efficient and practical syntheses of mannose tri-, tetra-, penta-, hexa-, hepta-, and octasaccharides existing in *N*-glycans

F. Orsini, G. Sello, E. Travaini and P. Di Gennaro 253 A chemoenzymatic synthesis of (2*R*)-8-substituted-2-aminotetralins

S. Chandrasekhar and Ch. R. Reddy 261 Towards a synthesis of epothilone A: asymmetric synthesis of C(1)–C(6) and C(7)–C(15) fragments

J. E. W. Scheuermann, G. Ilyashenko, D. V. Griffiths and M. Watkinson 269 Solvent-mediated selective single and double ring-opening of *N*-tosyl-activated aziridines using benzylamine

F. Zsila, Z. Bikádi and M. Simonyi 273 Further insight into the molecular basis of carotenoid–albumin interactions: circular dichroism and electronic absorption study on different crocetin–albumin complexes

D. Enders, B. Nolte, G. Raabe and J. Runsink 285 Asymmetric synthesis and structural assignment of (−)-α-conhydrine

M. Calmès, F. Escale and J. Martinez 293 Synthesis of *N*-Boc-(*R*)-α-phenyl-γ-aminobutyric acid using an in situ diastereoselective protonation strategy

C. Agami, F. Couty and G. Evano 297 A straightforward synthesis of enantiopure 2-cyano azetidines from β-amino alcohols

N. Plobeck and D. Powell 303 Asymmetric synthesis of diarylmethylamines by diastereoselective addition of organometallic reagents to chiral *N-tert*-butanesulfinimines: switchover of diastereofacial selectivity

S. Arrasate, E. Lete and N. Sotomayor 311 Synthesis of enantiomerically enriched β-amino alcohol derivatives via asymmetric lithiation of *O*-benzyl carbamates–imine addition using (−)-sparteine complexes

P. J. Black, K. Jenkins and J. M. J. Williams 317 Catalytic electronic activation: indirect Sharpless asymmetric epoxidation of enals

J. W. Han and T. Hayashi 325 Enhanced catalytic activity in asymmetric hydrosilylation of 1,3-dienes with a soluble palladium catalyst

A45 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 4

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATION

G. Desimoni, G. Faita, A. Galbiati, D. Pasini, P. Quadrelli and F. Rancati 333 A soluble polymer-bound Evans' chiral auxiliary: synthesis, characterization and use in cycloaddition reactions

ARTICLES

R. Chênevert and D. Caron 339 Chemoenzymatic enantioselective synthesis of (1*S*,5*R*)-(−)-frontalin

J.-M. Lee, H.-S. Lim and S.-K. Chung 343 A short and efficient stereoselective synthesis of all four diastereomers of sphingosine

R. N. Patel, L. Chu, R. Chidambaram, J. Zhu and J. Kant 349 Enantioselective microbial reduction of 2-oxo-2-(1′,2′,3′,4′-tetrahydro-1′,1′,4′,4′-tetramethyl-6′-naphthalenyl)acetic acid and its ethyl ester

S. Abramson, M. Laspéras and D. Brunel 357 Design of mesoporous aluminosilicates supported (1*R*,2*S*)-(−)-ephedrine: evidence for the main factors influencing catalytic activity in the enantioselective alkylation of benzaldehyde with diethylzinc

J. Skarżewski, E. Wojaczyńska and I. Turowska-Tyrk 369 Sequential asymmetric dihydroxylation and sulfoxidation of homoallylic sulfides. Stereochemical aspects of the preparation of new trifunctional chiral building blocks

K. Faber and W. Kroutil 377 Stereoselectivity in biocatalytic enantioconvergent reactions and a computer program for its determination

C.-G. Yang, J. Wang, X.-X. Tang and B. Jiang 383 Asymmetric aminohydroxylation of vinyl indoles: a short enantioselective synthesis of the bisindole alkaloids dihydrohamacanthin A and dragmacidin A

F. Wang, Y. Q. Tu, C. A. Fan, S. H. Wang and F. M. Zhang — 395 — Kinetic resolution via semipinacol rearrangement of α-hydroxy epoxides: a new method for asymmetric synthesis of α-hydroxy epoxides and β-hydroxy ketones containing an α-quaternary carbon

R. Robles, I. Izquierdo, C. Rodríguez, M. T. Plaza, A. J. Mota and L. Álvarez de Cienfuegos — 399 — Synthesis of nucleosides from 4-methylidenefuranoses: a non-classical electrophilic addition

A. Selouane, C. Vaccher, P. Villa, D. Postel and C. Len — 407 — Enantiomeric d4T analogues and their structural determination

K. Nakamura and K. Takenaka — 415 — The effect of catechin derivatives on the enantioselectivity of lipase-catalyzed hydrolyses of alkynol benzoate esters

S. Chandrasekhar, A. Raza and M. Takhi — 423 — Synthesis of unusual amino acids: *N*-(*tert*-butoxycarbonyl)-L-vinyl glycine and *N*-(*tert*-butoxycarbonyl)-L-homophenylalanine

M. Tiecco, L. Testaferri, C. Santi, C. Tomassini, F. Marini, L. Bagnoli and A. Temperini — 429 — Asymmetric synthesis of thioamido selenides. A simple synthetic route to enantiopure thiazolines

F. Busqué, P. de March, M. Figueredo, J. Font, T. Gallagher and S. Milán — 437 — Efficient synthesis of (*S*)-3,4-dihydro-2-pivaloyloxymethyl-2*H*-pyrrole 1-oxide

J. K. Ekegren, S. A. Modin, D. A. Alonso and P. G. Andersson — 447 — Multigram scale synthesis of a useful aza-Diels–Alder adduct in a one-step procedure

A73 — Stereochemistry abstracts

I — Instructions to contributors

V — Cumulative author index

NUMBER 5

Contents

v — Contributors to this issue

vii — Graphical abstracts

COMMUNICATIONS

A. G. Moglioni, B. N. Brousse, A. Álvarez-Larena, G. Y. Moltrasio and R. M. Ortuño — 451 — Stereoselective synthesis of cyclobutyl GABA analogues and related compounds from (−)-(*S*)-verbenone

M. Cantó, P. de March, M. Figueredo, J. Font, S. Rodríguez, A. Álvarez-Larena and J. F. Piniella — 455 — First synthesis of (+)-rengyolone and (+)- and (−)-menisdaurilide

ARTICLES

X.-X. Shi, Q.-Q. Wu and X. Lu — 461 — A synthesis of (4*S*)-2-(acetoxymethyl)-4-(*tert*-butyl-diphenylsilyloxy)-2-cyclopenten-1-one

A. Wolfson, S. Geresh, M. Gottlieb and M. Herskowitz — 465 — Heterogenization of Rh-MeDuPHOS by occlusion in polyvinyl alcohol films

Y.-B. Zhou, F.-Y. Tang, H.-D. Xu, X.-Y. Wu, J.-A. Ma and Q.-L. Zhou — 469 — Chiral 1,2,3,4-tetrahydroquinolinyl-oxazoline ligands for Ru-catalyzed asymmetric transfer hydrogenation of ketones

F. Felluga, M. Fermeglia, M. Ferrone, G. Pitacco, S. Pricl and E. Valentin — 475 — Computational studies on the enantioselectivity of α-chymotrypsin towards β-carbomethoxy-γ-lactams

K. Kánai, B. Podányi, S. Bokotey, F. Hajdú and I. Hermecz — 491 Stereoselective sulfoxide formation from a thioproline derivative

F. Paradisi, F. Piccinelli, G. Porzi and S. Sandri — 497 Enantioselective synthesis of 2,6-diaminopimelic acid derivatives. Part 3

A.-M. Yim, Y. Vidal, P. Viallefont and J. Martinez — 503 Diastereoselective radical addition to dehydroalanine derivatives of pantolactone

S. S. Chimni, S. Singh, S. Kumar and S. Mahajan — 511 Kinetic resolution of heteroaryl β-hydroxy sulfides catalyzed by *Humicola lanuginosa* lipase

K. Okrasa, A. Falcimaigne, E. Guibé-Jampel and M. Therisod — 519 Enantioselective synthesis of sulfoxides catalysed by an oxidase–peroxidase bienzymatic system

S. F. Mayer, A. Steinreiber, M. Goriup, R. Saf and K. Faber — 523 Chemoenzymatic asymmetric total syntheses of a constituent of Jamaican rum and of (+)-Pestalotin using an enantioconvergent enzyme-triggered cascade reaction

S. Pilard, D. Riboul, V. Glaçon, N. Moitessier, Y. Chapleur, D. Postel and C. Len — 529 Asymmetric dihydroxylation of chiral styrene derivatives: development of an analytical strategy for the determination of the diastereomeric excess

M. Díaz, M. Ferrero, S. Fernández and V. Gotor — 539 Novel chiral precursors of 6-*s*-*cis* locked 1α,25-dihydroxyvitamin D_3 analogues through selective enzymatic acylation

T. V. Hansen — 547 Synthesis of (*R*)-(−)-argentilactone

P. Müller, G. Bernardinelli and P. Nury — 551 Synthesis of bicyclo[3.2.2]nonadienones via enantioselective cyclopropanation of racemic cyclohexen-3-yl diazoacetate

A95 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 6

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

M. Ordóñez, R. de la Cruz, M. Fernández-Zertuche and M.-Á. Muñoz-Hernández — 559 Diastereoselective reduction of β-ketophosphonates derived from amino acids. A new entry to enantiopure β-hydroxy-γ-aminophosphonate derivatives

I. Jabin, G. Revial, M. Pfau and P. Netchitaïlo — 563 Use of α-amino esters as chiral auxiliaries in the enantioselective Michael alkylation of chiral imines

ARTICLES

N. Brugat, J. Duran, A. Polo, J. Real, Á. Álvarez-Larena and J. F. Piniella — 569 Synthesis and characterization of a new chiral phosphinothiol ligand and its palladium(II) complexes

L. Fonteneau, S. Rosa and D. Buisson — 579 Chemoenzymatic synthesis of enantiopure isopropyl (3*R*)- and (3*S*)-3-hydroxycyclohex-1-ene-1-carboxylates and their reduction to isomers of isopropyl 3-hydroxy-cyclohexane-1-carboxylate

D. Enders, B. Nolte and J. Runsink — 587 Asymmetric synthesis of 2-substituted piperidin-3-ols

G. Reginato, A. Mordini, M. Valacchi and R. Piccardi 595 Synthesis of non-racemic β-branched α-(aminoalkyl)-acrylates from naturally occurring amino acids

A. S. Demir, F. Aydogan and I. M. Akhmedov 601 The synthesis of chiral 5-methylene pyrrol-2(5*H*)-ones via photooxygenation of homochiral 2-methylpyrrole derivatives

P. Hesemann, J. J. E. Moreau and C. Yixiang 607 Hybrid silarylene polysiloxanes incorporating chiral BINOL entities: a new class of polymer with main chain chirality

S. Chandrasekhar and G. Kulkarni 615 Chiral Mitsunobu reactions with (1*S*)-(+)-ketopinic acid: kinetic resolutions of secondary alcohols

P. T. Baraldi, P. H. G. Zarbin, P. C. Vieira and A. G. Corrêa 621 Enantioselective synthesis of (*R*)- and (*S*)-2-methyl-4-octanol, the male-produced aggregation pheromone of Curculionidae species

A. Avenoza, J. I. Barriobero, J. H. Busto, C. Cativiela and J. M. Peregrina 625 Synthesis of enantiopure analogues of 3-hydroxyproline and derivatives

E. Butkus, A. Žilinskas, S. Stončius, R. Rozenbergas, M. Urbanová, V. Setnička, P. Bouř and K. Volka 633 Synthesis and chiroptical properties of enantiopure tricyclo[4.3.0.0^{3,8}]nonane-4,5-dione (twistbrendanedione)

D. Díez, M. T. Beneitez, I. S. Marcos, N. M. Garrido, P. Basabe and J. G. Urones 639 Regio- and stereoselective ring opening of epoxides. Enantioselective synthesis of 2,3,4-trisubstituted five-membered heterocycles

S. G. Davies, D. J. Dixon, G. J.-M. Doisneau, J. C. Prodger and H. J. Sanganee 647 Synthesis and utility of the 3,3-dimethyl-5-substituted-2-pyrrolidinone 'Quat' chiral auxiliary

A.-S. Castanet, F. Colobert, P.-E. Broutin and M. Obringer 659 Asymmetric Suzuki cross-coupling reaction: chirality reversal depending on the palladium–chiral phosphine ratio

A. S. Demir and O. Sesenoglu 667 A new and efficient chemoenzymatic access to both enantiomers of 4-hydroxy-cyclopent-2-en-1-one

A113 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 7

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATION

K. Błażewska and T. Gajda 671 (*S*)-Naproxen® and (*S*)-Ibuprofen® chlorides—convenient chemical derivatizing agents for the determination of the enantiomeric excess of hydroxy and aminophosphonates by ^{31}P NMR

ARTICLES

V. Guerlavais, P. J. Carroll and M. M. Joullié 675 Progress towards the total synthesis of callipeltin A. Asymmetric synthesis of (2*R*,3*R*,4*S*)-3-hydroxy-2,4,6-trimethylheptanoic acid

A. Zampella, M. Sorgente and M. V. D'Auria 681 Synthetic studies on callipeltin A: stereoselective synthesis of (2*R*,3*R*,4*S*)-3-hydroxy-2,4,6-trimethylheptanoic acid

G. V. M. Sharma, K. Raman Kumar, P. Sreenivas, P. Radha Krishna and M. S. Chorghade 687 Catalytic $FeCl_3$- or $Yb(OTf)_3$-mediated synthesis of substituted tetrahydrofurans and *C*-aryl glycosides from 1,4-diols

Y.-C. Wang, T.-M. Lu, S. Elango, C.-K. Lin, C.-T. Tsai and T.-H. Yan 691 Switch in asymmetric induction sense in cycloadditions using camphor-based nitroso dienophiles

B. T. Cho, O. K. Choi and D. J. Kim 697 Highly efficient synthesis of chiral β-hydroxy sulfides with high enantiomeric purity via CBS-oxazaborolidine-catalyzed borane reduction

H. Nakamura, M. Ono, Y. Shida and H. Akita 705 New total syntheses of (+)-macrosphelides C, F and G

S. Jew, D. Lim, S. Bae, H. Kim, J. Kim, J. Lee and H. Park 715 Enantioselective synthesis of (2*R*,3*S*)-(+)-catechin

A. V. Bedekar, T. Watanabe, K. Tanaka and K. Fuji 721 Intramolecular asymmetric olefination of binaphthyl phosphonate derivatives of 1,3-diketones

J. Yamazaki, A. V. Bedekar, T. Watanabe, K. Tanaka, J. Watanabe and K. Fuji 729 Asymmetric construction of novel bicyclo[4.4.0] and [4.3.0]ring systems via intramolecular Horner–Wadsworth–Emmons reactions

P. Kiełbasiński, M. Albrycht, J. Łuczak and M. Mikołajczyk 735 Enzymatic reactions in ionic liquids: lipase-catalysed kinetic resolution of racemic, *P*-chiral hydroxymethanephosphinates and hydroxymethylphosphine oxides

Y.-X. Li, A. J. J. Straathof and U. Hanefeld 739 Enantioselective formation of mandelonitrile acetate—investigation of a dynamic kinetic resolution

J. L. Vicario, D. Badía, L. Carrillo and E. Anakabe 745 Asymmetric synthesis of 1,2-diaryl-2-amino ethanols

A. G. Csákÿ, M. B. Mula, M. Mba and J. Plumet 753 Asymmetric C–C bond formation by the mixed oxidative coupling of 1,1′-bi-2-naphthyl esters

P. Camps, G. Colet, M. Font-Bardia, V. Muñoz-Torrero, X. Solans and S. Vázquez 759 Towards chiral non-racemic *cis*-1,3-disubstituted cyclopentane 1,4-diphosphines

S. Chow and W. Kitching 779 Hydrolytic kinetic resolution of terminal mono- and bis-epoxides in the synthesis of insect pheromones: routes to (−)-(*R*)- and (+)-(*S*)-10-methyldodecyl acetate, (−)-(*R*)-10-methyl-2-tridecanone, (−)-(*R*)-(*Z*)-undec-6-en-2-ol (Nostrenol), (−)-(1*R*,7*R*)-1,7-dimethylnonyl propanoate, (−)-(6*R*,12*R*)-6,12-dimethylpentadecan-2-one, (−)-(2*S*,11*S*)-2,11-diacetoxytridecane and (+)-(2*S*,12*S*)-2,12-diacetoxytridecane

A139 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 8

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

M. Ruiz, V. Ojea, T. M. Ruanova and J. M. Quintela 795 Access to iminosugars by aldol additions of metalated bis-lactim ethers to L-erythrose derivatives

Y. H. Choi, J. Y. Choi, H. Y. Yang and Y. H. Kim 801 Copper-catalyzed conjugate addition on macrocyclic, cyclic, and acyclic enones with a chiral phosphoramidite ligand having a C_2-symmetric amine moiety

I. Sato, R. Kodaka, K. Hosoi and K. Soai 805 Highly enantioselective addition of dialkylzincs to aldehydes using dendritic chiral catalysts with flexible carbosilane backbones

ARTICLES

G. Chen, X. Li, H. Zhang, L. Gong, A. Mi, X. Cui, Y. Jiang, M. C. K. Choi and A. S. C. Chan 809 Easily accessible chiral amino-phosphinite ligands for highly enantioselective palladium-mediated allylic alkylation

A. Kamal, M. Sandbhor and K. V. Ramana 815 One-pot lipase-catalyzed synthesis of enantiopure secondary alcohols from carbonyl compounds: a new protocol for lipase-mediated resolution

U. Grošelj, S. Rečnik, J. Svete, A. Meden and B. Stanovnik 821 Stereoselective synthesis of (1*R*,3*R*,4*R*)-3-(1,2,4-triazolo[4,3-*x*]azin-3-yl)-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ones

E. Hedenström, B.-V. Nguyen and L. A. Silks, III 835 Do enzymes recognise remotely located stereocentres? Highly enantioselective *Candida rugosa* lipase-catalysed esterification of the 2- to 8-methyldecanoic acids

A. E. Wróblewski and K. B. Balcerzak 845 Synthesis of diethyl (1*R*,2*R*)- and (1*S*,2*R*)-3-acetamido-1,2-dihydroxypropyl-phosphonates

K. C. Bhowmick, K. R. K. Prasad and N. N. Joshi 851 Synthesis and resolution of 2,2-dimethyl-1,3-diphenyl-1,3-propanediol, a new C_2-symmetric and conformationally rigid acyclic diol

T. Kanger, K. Kriis, T. Pehk, A.-M. Müüripepp and M. Lopp 857 Asymmetric synthesis of novel C_2-symmetric bimorpholines

F. Compostella, L. Franchini, G. B. Giovenzana, L. Panza, D. Prosperi and F. Ronchetti 867 Chemoenzymatic stereoconvergent synthesis of 3-*O*-benzoyl azidosphingosine

S. Lochyński, B. Frąckowiak, T. Librowski, R. Czarnecki, J. Grochowski, P. Serda and M. Pasenkiewicz-Gierula 873 Stereochemistry of terpene derivatives. Part 3: Hydrolytic kinetic resolution as a convenient approach to chiral aminohydroxyiminocaranes with local anaesthetic activity

A. Dijksman, J. M. Elzinga, Y.-X. Li, I. W. C. E. Arends and R. A. Sheldon 879 Efficient ruthenium-catalyzed racemization of secondary alcohols: application to dynamic kinetic resolution

N. Baldovini and G. Solladié 885 Application of the asymmetric Diels–Alder reaction of a 2-substituted chiral maleate to the formal synthesis of (−)-β-santalene

G. Delogu, D. Fabbri, C. de Candia, A. Patti and S. Pedotti 891 Stereoselective oxazaborolidine–borane reduction of biphenyl alkyl ketones

A. Abate, E. Brenna, C. Dei Negri, C. Fuganti and S. Serra 899 Biocatalysed synthesis of the enantiomers of the floral odorant Florhydral®

A165 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 9

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

C. M. L. Delpiccolo and E. G. Mata 905 Stereoselective solid-phase synthesis of 3,4-substituted azetidinones as key intermediates for mono- and multicyclic β-lactam antibiotics and enzyme inhibitors

T. Ziegler, D. Röseling and L. R. Subramanian	911	Preparation of glycosyl amino acids as building blocks for the combinatorial synthesis of neoglycoconjugates
I. Cristea, E. Kozma and C. Batiu	915	Stereoselective *trans*-dihydroxylation of terpinen-4-ol: synthesis of some stereoisomers of *p*-menthane-1,2,4-triol
J. M. Seco, E. Quiñoá and R. Riguera	919	Incorrect procedure for the assignment of the absolute configuration of carbonucleosides by NMR: MPA must not be used with primary alcohols
S. Karlsson and H.-E. Högberg	923	Catalytic enantioselective 1,3-dipolar cycloaddition of nitrones to cyclopent-1-enecarbaldehyde
R. Chinchilla, P. Mazón and C. Nájera	927	New dimeric anthracenyl-derived *Cinchona* quaternary ammonium salts as phase-transfer catalysts for the asymmetric synthesis of α-amino acids
		ARTICLES
A. R. Katritzky, H.-Y. He and A. K. Verma	933	Stereoselective syntheses of chiral (3*S*,9b*S*)-1,2,3,9b-tetrahydro-5*H*-imidazo[2,1-*a*]isoindol-5-ones
G. A. Reichard, J. Spitler, I. Mergelsberg, A. Miller, G. Wong, R. Raghavan, J. Jenkins, T. Gan and A. T. McPhail	939	The asymmetric synthesis of (3*R*)-*N*-methyl-2-oxo-[1,4′-bipiperidine]-3-acetamide in quantity
Q. Xu, H. Yang, X. Pan and A. S. C. Chan	945	*trans*-(1*S*,2*S*)-1-Substituted-2-(*N*,*N*-dialkylamino)-1-indanol derivatives as chiral ligands in the catalytic enantioselective addition of diethylzinc to aldehydes
Y. Kashima, J. Liu, S. Takenami and S. Niwayama	953	Asymmetric desymmetrization of dialkyl bicyclo[2.2.1]hept-2,5-diene-2,3-dicarboxylates by a thermophilic esterase/lipase
W. F. Kiesman and R. C. Petter	957	Lewis-acid catalysis of the asymmetric Diels–Alder reaction of dimenthyl fumarate and cyclopentadiene
D. Ma, K. Ding, H. Tian, B. Wang and D. Cheng	961	Asymmetric synthesis of (*S*)-1-aminoindan-1,5-dicarboxylic acid and related analogues via intramolecular acylation of enantiopure α,α-disubstituted amino acids
T. Matsuda, Y. Nakajima, T. Harada and K. Nakamura	971	Asymmetric reduction of simple aliphatic ketones with dried cells of *Geotrichum candidum*
H. Boussac, J. Crassous, J.-P. Dutasta, L. Grosvalet and A. Thozet	975	Resolution and absolute configuration of bromofluoroacetic acid
L. Gibert, A. González, J. Granell and C. López	983	Spontaneous macrocyclization of L-cysteine with malononitrile
A. E. Wróblewski and I. E. Głowacka	989	Synthesis of (1*R*,2*S*)- and (1*S*,2*S*)-3-azido-1,2-dihydroxypropylphosphonates
J. Piró, P. Forns, J. Blanchet, M. Bonin, L. Micouin and A. Diez	995	Asymmetric synthesis of β-pseudopeptides from chiral 3,4-aziridinolactams
M. Carda, F. González, R. Sánchez and J. A. Marco	1005	Stereoselective synthesis of (−)-cytoxazone
	1011	Corrigendum
	A191	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 10

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

T. F. Molinski, L. J. Brzezinski and J. W. Leahy 1013 Absolute configuration of phorboxazole A C32–C43 analogs by CD exciton-coupling of allylic 2-naphthoate esters

K. M. Pietrusiewicz, M. Koprowski and Z. Pakulski 1017 Enantioselective desymmetrization of a phospholene *meso*-epoxide

J. Biała, Z. Czarnocki and J. K. Maurin 1021 Diastereoselective synthesis of lortalamine analogs

ARTICLES

A. C. Pinto, C. B. L. Freitas, A. G. Dias, V. L. P. Pereira, B. Tinant, J.-P. Declercq and P. R. R. Costa 1025 Selective conjugate addition of nitromethane to enoates derived from D-mannitol and L-tartaric acid

Y. Jiang and D. Ma 1033 Synthesis of enantiopure substituted dihydrofurans via the reaction of (*S*)-glyceraldehyde acetonide- or Garner aldehyde acetonide-derived enones with sulfonium ylides

S. Lee and Y. J. Zhang 1039 Rhodium-catalyzed asymmetric hydrogenations of electron deficient olefins using 1,4-diphosphine ligands bearing an imidazolidin-2-one backbone

S. Honzawa, H. Okubo, K. Nakamura, S. Anzai, M. Yamaguchi and C. Kabuto 1043 Folding of dihelicenetriamines in water

N. Prabagaran and G. Sundararajan 1053 Asymmetric Michael addition reactions using a chiral La–Na aminodiolate catalyst

M. Kimura, A. Kuboki and T. Sugai 1059 Chemo-enzymatic synthesis of enantiomerically pure (*R*)-2-naphthylmethoxyacetic acid

D. Kihumbu, T. Stillger, W. Hummel and A. Liese 1069 Enzymatic synthesis of all stereoisomers of 1-phenylpropane-1,2-diol

O. Azzolina, S. Collina, G. Brusotti, D. Rossi, A. Callegari, L. Linati, A. Barbieri and V. Ghislandi 1073 Chemical and biological profile of racemic and optically active dialkylaminoalkylnaphthalenes with analgesic activity

J. H. Lutje Spelberg, L. Tang, M. van Gelder, R. M. Kellogg and D. B. Janssen 1083 Exploration of the biocatalytic potential of a halohydrin dehalogenase using chromogenic substrates

M. I. Monterde, R. Brieva, V. M. Sánchez, M. Bayod and V. Gotor 1091 Enzymatic resolution of the chiral auxiliary 2-methoxy-2-phenylethanol

J. Hydrio, M. Gouygou, F. Dallemer, J.-C. Daran and G. G. A. Balavoine 1097 New chiral phosphole ligands: their coordination behaviour and application in palladium-catalysed asymmetric allylic substitution

D. Gryko, P. Prokopowicz and J. Jurczak 1103 The stereochemical course of addition of allyltrimethylsilane to protected L-alaninals and L-serinals in the presence of Lewis acids. Total synthesis of *cis*-(2*R*,3*S*)-3-hydroxyproline

R. A. Dixon and S. Jones
R. A. Dixon and S. Jones 1115 Efficient desymmetrisation of a *meso*-imide using a chiral oxazaborolidine catalyst

A215 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 11

Contents

v Publisher's announcement

vii Contributors to this issue

ix Graphical abstracts

COMMUNICATIONS

E. V. Sergeeva, V. I. Rozenberg, D. Yu. Antonov, E. V. Vorontsov, Z. A. Starikova and H. Hopf 1121 First stereoselective pinacol coupling in the [2.2]paracyclophane series

D. Basavaiah, G. Jayapal Reddy and V. Chandrashekar 1125 (2*S*,5*S*)-1,3-Diaza-2-phospha-2-oxo-2-chloro-3-phenylbicyclo[3.3.0]octane: a novel chiral source for borane-mediated catalytic chiral reductions

ARTICLES

J. Xu 1129 A new and expeditious asymmetric synthesis of (*R*)- and (*S*)-2-amino-alkanesulfonic acids from chiral amino alcohols

W.-P. Deng, K. A. Wong and K. L. Kirk 1135 Convenient syntheses of 2-, 5- and 6-fluoro- and 2,6-difluoro-L-DOPA

C. Saluzzo, T. Lamouille, F. Le Guyader and M. Lemaire 1141 Synthesis and studies of 6,6′-BINAP derivatives for the heterogeneous asymmetric hydrogenation of methyl acetoacetate

R. Tovar-Miranda, R. Cortés-García and P. Joseph-Nathan 1147 Synthesis and absolute configuration of the four possible stereoisomers of prandiol

C. Wolf and B. T. Ghebremariam 1153 Dynamic stereochemistry of 1,8-bis(2,2′-disubstituted-4,4′-dipyridyl)-naphthalenes and their *N*,*N*′-dioxide derivatives

S. Pinheiro, S. J. Greco, L. S. Veiga, F. M. C. de Farias and P. R. R. Costa 1157 Stereoselective Mannich reaction of camphor titanium enolate

B. W. Day, C. O. Kangani and K. S. Avor 1161 Convenient syntheses of (2*R*,3*S*,4*R*)-3-(*tert*-butyldimethylsilanyloxy)-2,4-dimethyl-5-oxopentanoic acid methoxymethylamide from methacrolein. Preparation of C1–C7 and C17–C24 fragments of (+)-discodermolide

A. Ichikawa, H. Ono, S. Hiradate, M. Watanabe and N. Harada 1167 Absolute configurations of 2-methoxy-2-(1-naphthyl)propionic acid and 2-methoxy-2-(2-naphthyl)propionic acid as determined by the phenylglycine methyl ester (PGME) method

F. A. Luzzio and D. Y. Duveau 1173 Enzymatic resolution of the 1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane (1,8-cineole) system

F. Ferioli, F. Piccinelli, G. Porzi and S. Sandri 1181 Stereoselective synthesis of bis(α-amino acid) derivatives isosteric with cysteine. Part 4

H. R. Moon, W. J. Choi, H. O. Kim and L. S. Jeong 1189 Improved and alternative synthesis of D- and L-cyclopentenone derivatives, the versatile intermediates for the synthesis of carbocyclic nucleosides

M. Shi and Y.-M. Xu 1195 Diastereoselective Baylis–Hillman type reactions of chiral non-racemic *N*-sulfinimines with cyclopent-2-en-1-one

M. Ikunaka, J. Matsumoto and Y. Nishimoto 1201 A concise synthesis of (2*S*,3*S*)-BocAHPBA and (*R*)-BocDMTA, chiral building blocks for peptide-mimetic HIV protease inhibitors

B. T. Cho, S. K. Kang and S. H. Shin 1209 Application of optically active 1,2-diol monotosylates for synthesis of β-azido and β-amino alcohols with very high enantiomeric purity. Synthesis of enantiopure (*R*)-octopamine, (*R*)-tembamide and (*R*)-aegeline

L. Juhász, J. Visy, M. Simonyi, K. Krohn and S. Antus 1219 Lipase-catalyzed kinetic resolution of (±)-*trans*-2-(4-hydroxy-3-methoxyphenyl)-3-hydroxymethyl-7-methoxy-2,3-dihydrobenzo[*b*]furan

T. Ema, M. Yoshii, T. Korenaga and T. Sakai 1223 Mechanism-based enzymatic method for reliable determination of absolute configuration of chiral 1-substituted ethanols: combination with NMR method

A233 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 12

Contents

v Contributors to this issue

vii Graphical abstracts

xi Publisher's announcement

COMMUNICATIONS

M. Sánchez-Aris, I. Maestre, T. Parella, C. Jaime, A. Virgili, A. Alvarez-Larena and J. F. Piniella 1231 Preparation, structural and conformational study of cyclobis[(*R*,*R*)-α,α′-bis(trifluoromethyl)-9,10-anthracenedimethylsulphite]

A. Zampella and M. V. D'Auria 1237 Stereoselective synthesis of (2*R*,3*R*,4*R*)-3-hydroxy-2,4,6-trimethylheptanoic acid and determination of the absolute stereochemistry of the natural product from callipeltin A

T. Brunin, J. Cabou, S. Bastin, J. Brocard and L. Pélinski 1241 Chiral ferrocenyl amino alcohols as catalysts for the enantioselective borane reduction of ketones

ARTICLES

S. Beszant, E. Giannini, G. Zanoni and G. Vidari 1245 Enantioselective synthesis of both enantiomers of γ-ionone, γ-damascone, karahana lactone and karahana ether

L. Minuti, A. Taticchi, C. Rosini, D. Lanari, A. Marrocchi and S. Superchi 1257 Synthesis and absolute configuration of a new chiral [2.2]paracyclophane-based diene

A. Iuliano, I. Pieraccini, G. Félix and P. Salvadori 1265 Synthesis of four cholic acid-based CSPs containing 2-naphthyl carbamate and 3,5-dinitrophenylcarbamate moieties and their evaluation in the HPLC resolution of racemic compounds

A. Massa, F. R. Siniscalchi, V. Bugatti, A. Lattanzi and A. Scettri 1277 New procedures for the enantioselective oxidation of sulfides under stoichiometric and catalytic conditions

L. Garanti, G. Molteni and T. Pilati 1285 Diastereoselective cycloadditions of nitrilimines to enantiopure acrylamides

Y. Wang, X. Li and K. Ding 1291 Synthesis of a new type of chiral amino phosphine ligands for asymmetric catalysis

J. Rouden, A. Ragot, S. Gouault, D. Cahard, J.-C. Plaquevent and M.-C. Lasne 1299 Regio- and diastereoselective functionalization of (−)-cytisine: an unusual *N*–*C* acyl migration

F. Orsini and E. Di Teodoro 1307 New stereoselective synthesis of phosphono analogues of glycosyl phosphates

J. González-Sabín, V. Gotor and F. Rebolledo 1315 CAL-B-catalyzed resolution of some pharmacologically interesting β-substituted isopropylamines

J. L. García Ruano, M. Á. Fernández-Ibáñez, A. M. Martín Castro, J. H. Rodríguez Ramos and A. C. Rubio Flamarique — 1321 Regio- and stereocontrolled hydrocyanation of chiral 2-alkylglycidamides with Et_2AlCN: synthesis of enantiomerically pure mono- and disubstituted malic acid derivatives

I. Neda, T. Kaukorat and C.-G. Hrib — 1327 New hydrogenated and didehydrogenated 1,2-diamines of quincorine and quincoridine

A. Taticchi, L. Minuti, A. Marrocchi, D. Lanari and E. Gacs-Baitz — 1331 Synthesis of some new enantiopure [2.2]paracyclophanes bearing polycyclic aromatic subunits

J. M. Palomo, G. Fernández-Lorente, C. Mateo, M. Fuentes, R. Fernández-Lafuente and J. M. Guisan — 1337 Modulation of the enantioselectivity of *Candida antarctica B* lipase via conformational engineering: kinetic resolution of (±)-α-hydroxy-phenylacetic acid derivatives

A261 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 13

Contents

v Contributors to this issue

vii Graphical abstracts

xiii Publisher's announcement

COMMUNICATIONS

C. E. Garrett, K. Prasad, O. Repič and T. J. Blacklock — 1347 The enantioselective reduction of 2′-fluoroacetophenone utilizing a simplified CBS-reduction procedure

K. Hiroi, Y. Hiratsuka, K. Watanabe, I. Abe, F. Kato and M. Hiroi — 1351 A novel direct catalytic asymmetric synthesis of cyclic indole derivatives by intramolecular carbopalladation of allenes and subsequent intramolecular amination

ARTICLES

G. L. Lange, C. C. Humber and J. M. Manthorpe — 1355 [2+2] Photoadditions with chiral 2,5-cyclohexadienone synthons

J.-H. Zhang, J. Liao, X. Cui, K.-B. Yu, J. Zhu, J.-G. Deng, S.-F. Zhu, L.-X. Wang, Q.-L. Zhou, L. W. Chung and T. Ye — 1363 Highly efficient and practical resolution of 1,1′-spirobiindane-7,7′-diol by inclusion crystallization with *N*-benzylcinchonidinium chloride

S. Easwar, S. B. Desai, N. P. Argade and K. N. Ganesh — 1367 Enantioselective enzymatic approach to (+)- and (−)-2-acetoxy/hydroxycyclopentanones

S. Sankaranarayanan, A. Sharma and S. Chattopadhyay — 1373 Synthesis of the 1,5-dimethylic chiron enantiomers, 3,7,11-trimethyldodec-10-en-1-ol: application to enantiomeric syntheses of tribolure and a marine fatty acid

A. Ferrand, M. Bruno, M. L. Tommasino and M. Lemaire — 1379 Hydrophilic diamine ligands for catalytic asymmetric hydrogenation of C–O bonds

S. Superchi, E. Giorgio, P. Scafato and C. Rosini — 1385 Rational design of chiral 1,1′-binaphthylazepine-based ligands for the enantioselective addition of $ZnEt_2$ to aromatic aldehydes

L. Liang and A. S. C. Chan	1393	Copper-catalyzed highly enantioselective 1,4-conjugate addition of trimethylaluminum to 2-cyclohexenone
T. C. Rosen and G. Haufe	1397	Synthesis of enantiopure monofluorinated phenylcyclopropanes by lipase-catalyzed kinetic resolution
G. Cardillo, S. Fabbroni, L. Gentilucci, M. Gianotti, R. Perciaccante and A. Tolomelli	1407	Enantioselective synthesis of aziridine 2,2-dicarboxylates. Part 1: Copper(II)-bisoxazoline complex-catalysed Michael reaction on alkylidene malonates
G. Cardillo, S. Fabbroni, L. Gentilucci, M. Gianotti, R. Perciaccante, S. Selva and A. Tolomelli	1411	Enantioselective synthesis of aziridine 2,2-dicarboxylates. Part 2: Determination of the absolute configuration
I. Izquierdo, M. T. Plaza, R. Asenjo and A. Ramírez	1417	Thioanhydro sugars. Part 9: Enantiospecific synthesis of a polyhydroxythiolane, key intermediate for the preparation of glycosidase inhibitors bearing inner thiosulfonium salt
H. Shi, H. Liu, R. Bloch and G. Mandville	1423	Enantioselective synthesis of the PAF antagonist MK-287
E. Székely, B. Simándi, K. László, E. Fogassy, G. Pokol and I. Kmecz	1429	Effect of achiral support on the resolution of tetramisole by supercritical fluid extraction
M. Pogoreve and K. Faber	1435	Enantioselective stereoinversion of *sec*-alkyl sulfates by an alkylsulfatase from *Rhodococcus ruber* DSM 44541
M. Pogoreve, U. T. Strauss, T. Riermeier and K. Faber	1443	Selectivity-enhancement in enantioselective hydrolysis of *sec*-alkyl sulfates by an alkylsulfatase from *Rhodococcus ruber* DSM 44541
D. Maillard, J. Bayardon, J. D. Kurichiparambil, C. Nguefack-Fournier and D. Sinou	1449	Chiral perfluorous analogues of MOP. Synthesis and applications in catalysis
	A287	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 14

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATION
A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero and P. Martínez-Ruiz	1457	The role of the substitution pattern on the catalytic activity of chiral bridgehead norbornane-derived β-amino alcohols
		ARTICLES
A. Chadha and B. Baskar	1461	Biocatalytic deracemisation of α-hydroxy esters: high yield preparation of (*S*)-ethyl 2-hydroxy-4-phenylbutanoate from the racemate
H. Villar, F. Guibé, C. Aroulanda and P. Lesot	1465	Investigation of SmI_2-mediated cyclisation of δ-iodo-α,β-unsaturated esters by deuterium 2D NMR in oriented solvents
D. Steiner, S. G. Sethofer, C. T. Goralski and B. Singaram	1477	Asymmetric addition of diethylzinc to aldehydes catalyzed by β-amino alcohols derived from limonene oxide
W.-L. Wong, W.-S. Lee and H.-L. Kwong	1485	Synthesis of new chiral terpyridine mono-*N*-oxide and di-*N*-oxide ligands and their applications in copper-catalyzed asymmetric cyclopropanation

Y. Norimine, N. Yamamoto, Y. Suzuki, T. Kimura, K. Kawano, K. Ito, S. Nagato, Y. Iimura and M. Yonaga 1493 Enantioselective synthesis of (2*S*)-5-{4-[2-(4-fluorophenoxy)ethyl]piperazin-1-yl}-2-isopropyl-2-phenyl-pentanenitrile dihydrochloride (E2050) using enzyme-catalyzed kinetic resolution

I. Izquierdo, M. T. Plaza and F. Franco 1503 Polyhydroxylated pyrrolidines. Part 2: Highly stereoselective synthesis of partially protected DMDP derivatives from D-fructose

S. Nakamura, H. Yasuda and T. Toru 1509 Diastereoselective reaction of [1-(2,4,6-triisopropylphenylsulfinyl)-2-naphthyl]methanimines via diastereomeric rotamers

H. Abe, T. Tsujino, K. Araki, Y. Takeuchi and T. Harayama 1519 Enantioselective construction of bicyclo[3.1.0]hexane derivatives through asymmetric deprotonation of *meso*-cyclic ketones

A. Muñoz and A. Virgili 1529 Preparation and behavior of (*R*)- and (*S*)-2,2,2-trifluoro-1-(1-pyrenyl)ethanol as chiral solvating agents: study of the diastereomeric association by Job's plots, intermolecular NOE and binding constants

M. Ruiz, V. Ojea and J. M. Quintela 1535 Amino acid based diastereoselective synthesis of fucosamines

J. Clariana, J. Comelles, M. Moreno-Mañas and A. Vallribera 1551 2,2′-Isopropylidenebis[(4*R*)-(1-adamantyl)-2-oxazoline] (Adam-Box). A new enantiopure C_2-symmetrical ligand: enantioselective cyclopropanations, Diels–Alder reactions, and allylic oxidations

S. G. Davies, S. W. Epstein, A. C. Garner, O. Ichihara and A. D. Smith 1555 Asymmetric synthesis of α-amino carbonyl derivatives using lithium (*R*)-*N*-benzyl-*N*-α-methylbenzylamide

Z. Hricovíniová 1567 Highly stereospecific Mo(VI)-mediated synthesis of D-*glycero*-L-*galacto*-octulose

M. Yus, D. J. Ramón and O. Prieto 1573 Synthesis of C_2-symmetrical bis(1,2-hydroxy sulfonamide) ligands and application in the enantioselective addition of dialkylzinc to aldehydes

I. Izquierdo, M. T. Plaza and F. Franco 1581 Polyhydroxylated pyrrolizidines. Part 2: The first total synthesis of (+)-hyacinthacine A_3

A307 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 15

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATION

O. G. Bondarev, S. E. Lyubimov, A. A. Shiryaev, N. E. Kadilnikov, V. A. Davankov and K. N. Gavrilov 1587 An efficient chiral phosphitooxazoline ligand for Pd-catalyzed asymmetric allylic sulfonylation

ARTICLES

K. Lee, W. Zhou, L.-L. C. Kelley, C. Momany and C. K. Chu 1589 Synthesis of unsaturated fluoride containing D- and L-pyranosyl nucleosides

G. V. M. Sharma, J. J. Reddy, M. H. V. R. Rao and N. Gallois 1599 Synthesis of spiro carbon linked deoxy disaccharides

D. Vitharana, J. E. France, D. Scarpetti, G. W. Bonneville, P. Majer and T. Tsukamoto 1609 Synthesis and biological evaluation of (*R*)- and (*S*)-2-(phosphonomethyl)-pentanedioic acids as inhibitors of glutamate carboxypeptidase II

I. V. Komarov, A. Monsees, R. Kadyrov, C. Fischer, U. Schmidt and A. Börner 1615 A new hydroxydiphosphine as a ligand for Rh(I)-catalyzed enantioselective hydrogenation

A. Tárraga, P. Molina, D. Curiel and D. Bautista 1621 Asymmetric synthesis of ferrocenylazido alcohols and their derivatization to novel chiral ferrocenyl-thiazoline ligands with C_2-symmetry

T. Tedeschi, R. Corradini, R. Marchelli, A. Pushl and P. E. Nielsen 1629 Racemization of chiral PNAs during solid-phase synthesis: effect of the coupling conditions on enantiomeric purity

C. C. C. R. de Carvalho, F. van Keulen and M. M. R. da Fonseca 1637 Modelling the biokinetic resolution of diastereomers present in unequal initial amounts

S. Fukuzawa, Y. Chino and T. Yokoyama 1645 Copper(II)-catalyzed kinetic resolution of (±)-2-arylpropionic acids with chiral *N*-trimethylsilyloxazolidin-2-one

G. Desimoni, G. Faita, M. Guala and C. Pratelli 1651 The stereodivergent synthesis of chiral 4,5-disubstituted pybox ligands

K. Omata, T. Fujiwara and K. Kabuto 1655 Use of a diamagnetic lanthanide complex for extending the scope of NMR determination of absolute configuration by the modified Mosher's method

A. N. Skvortsov, D. A. de Vekki, A. I. Stash, V. K. Belsky, V. N. Spevak and N. K. Skvortsov 1663 Synthesis, crystal structures and optical activity of *cis*- and *trans*-(−)-dichloro[(*S*)-methyl *p*-tolylsulfoxide]pyridyl platinum(II) complexes

G. De Coster, K. Vandyck, E. Van der Eycken, J. Van der Eycken, M. Elseviers and H. Röper 1673 D-Isomannide in synthesis: asymmetric Diels–Alder reactions with novel homochiral bis-imine Cu^{2+}-catalysts

A. J. Bustillo, J. Aleu, R. Hernández-Galán and I. G. Collado 1681 Biocatalytically assisted preparation of antifungal chlorophenylpropanols

X. Hu, H. Dai, X. Hu, H. Chen, J. Wang, C. Bai and Z. Zheng 1687 Ferrocenylphosphine–imine ligands for Pd-catalyzed asymmetric allylic alkylation

M.-X. Wang and S.-M. Zhao 1695 Synthesis of enantiomerically enriched (*S*)-(+)-2-aryl-4-pentenoic acids and (*R*)-(−)-2-aryl-4-pentenamides via microbial hydrolysis of nitriles, a chemoenzymatic approach to stereoisomers of α,γ-disubstituted γ-butyrolactones

A337 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 16

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

C. M. R. Ribeiro, E. de S. Santos, A. H. de O. Jardim, M. P. Maia, F. C. da Silva, A. P. D. Moreira and V. F. Ferreira 1703 Asymmetric Reformatsky reaction: application of mono- and dihydroxy carbohydrate derivatives as chiral ligands

C. Taillefumier, Y. Lakhrissi, M. Lakhrissi and Y. Chapleur 1707 Facile synthesis of fused furanosyl β-amino acids from protected sugar lactones: incorporation into a peptide chain

ARTICLES

C. Kashima, S. Mizuhara, Y. Miwa and Y. Yokoyama 1713 Resolution of secondary alcohols using 2-acyl-3-phenyl-*l*-menthopyrazoles as enantioselective acylating agents

S. E. Boiadjiev and D. A. Lightner 1721 Atropisomerism in monopyrroles

C. Wolf, C. J. Francis, P. A. Hawes and M. Shah 1733 Enantioselective alkylation of aldehydes promoted by (*S*)-tyrosine-derived β-amino alcohols

J. Fuentes, C. Gasch, D. Olano, M. Á. Pradera, G. Repetto and F. J. Sayago 1743 An easy route to seven-membered iminocyclitols from aldohexopyranosyl enamines

F. D'Anna, S. Riela, P. Lo Meo, M. Gruttadauria and R. Noto 1755 The binary pyrene/heptakis-(6-amino-6-deoxy)-β-cyclodextrin complex: a suitable chiral discriminator. Spectrofluorimetric study of the effect of some α-amino acids and esters on the stability of the binary complex

S. Lochyński, B. Frąckowiak, T. Olejniczak, Z. Ciunik and C. Wawrzeńczyk 1761 Lactones. Part 15: Synthesis of chiral spirolactones with a carane system — insect feeding deterrents

K. Shibatomi and Y. Uozumi 1769 New homochiral phosphine ligands having a hexahydro-1*H*-pyrrolo[1,2-*c*]-imidazolone backbone: preparation and use for palladium-catalyzed asymmetric alkylation of cycloalkenyl carbonates

R. Ballini, G. Bosica, M. V. Gil, E. Román and J. A. Serrano 1773 Preparation of enantiomerically pure 4-alkyl-5-formyl-4-nitrocyclohex-1-enes from 5-glyco-4-nitrocyclohex-1-enes

V. Maggiotti, J.-B. Wong, R. Razet, A. R. Cowley and V. Gouverneur 1789 Asymmetric synthesis of aldol products derived from unsymmetrical ketones: assignment of the absolute configuration of antibody aldol products

X. Ren, X. Chen, K. Peng, X. Xie, Y. Xia and X. Pan 1799 First enantioselective synthesis of daphneticin and its regioisomer

A. Iuliano, E. Attolino and P. Salvadori 1805 Biselector enantioselective stationary phases for HPLC: dependence of the chiral discrimination properties on stereochemistry and chemical nature of each unit of the chiral auxiliary

F. Maienza, F. Santoro, F. Spindler, C. Malan and A. Mezzetti 1817 *P*-Stereogenic diphosphines in the ruthenium-catalysed asymmetric hydrogenation of C=C and C=O double bonds

A. Battaglia, E. Baldelli, G. Barbaro, P. Giorgianni, A. Guerrini, M. Monari and S. Selva 1825 Synthesis and desilylation of (2*R*,3*S*)-α-methyl-α-silyl-α,β-2,3-dihydroxycarboxylic methyl esters

V. P. Krasnov, G. L. Levit, V. N. Charushin, A. N. Grishakov, M. I. Kodess, V. N. Kalinin, V. A. Ol'shevskaya and O. N. Chupakhin 1833 Enantiomers of 3-amino-1-methyl-1,2-dicarba-*closo*-dodecaborane

A361 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 17

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero and B. Lora Maroto 1837 Synthesis of 7-*anti*-bromo-3,3-dimethyl-2-oxonorbornane-1-carboxylic acid: a new chiral source from the chiral pool

K. Hiroi and K. Watanabe 1841 Highly enantioselective palladium-catalyzed asymmetric Diels–Alder reactions with chiral phosphino–oxazoline ligands

N. Kise, A. Fujimoto and N. Ueda 1845 Stereoselective homocoupling of chiral 1-aroylacetyl-2-imidazolidinones by oxidation with Br_2

ARTICLES

M. D. Squire, A. Burwell, G. M. Ferrence and S. R. Hitchcock 1849 Enantiomerically enriched *vic*-amino alcohols from 2-iminobornanes

J. Roos and F. Effenberger 1855 Stereoselective synthesis of β-amino-γ-butyrolactones

M. Ruiz, V. Ojea and J. M. Quintela 1863 Computational study of the *syn,anti*-selective aldol additions of lithiated bis-lactim ether to 1,3-dioxolane-4-carboxaldehydes

K. Sekimata, J. Uzawa, S.-Y. Han, K. Yoneyama, Y. Takeuchi, S. Yoshida and T. Asami 1875 Brz220 a novel brassinosteroid biosynthesis inhibitor: stereochemical structure–activity relationship

J. M. de la Fuente and S. Penadés 1879 Synthesis of Le^x-neoglycoconjugate to study carbohydrate–carbohydrate associations and its intramolecular interaction

C. Sanfilippo and G. Nicolosi 1889 Catalytic behaviour of chloroperoxidase from *Caldariomyces fumago* in the oxidation of cyclic conjugated dienes

D. W. Barnett, M. J. Panigot and R. W. Curley, Jr. 1893 Stereoselective route to ^{15}N-labeled-β-deuterated amino acids: synthesis of (2*S*,3*R*)-[3-^2H,^{15}N]-phenylalanine

P. Allevi, M. Galligani and M. Anastasia 1901 A simple and convenient transformation of L-lysine into pyridinoline and deoxypyridinoline, two collagen cross-links of biochemical interest

V. P. Krasnov, G. L. Levit, I. M. Bukrina, A. M. Demin, O. N. Chupakhin and J. U. Yoo 1911 Efficient large (ca. 40 g) laboratory scale preparation of (*S*)- and (*R*)-valine *tert*-butyl esters

U. Chiacchio, A. Corsaro, G. Gambera, A. Rescifina, A. Piperno, R. Romeo and G. Romeo 1915 Syntheses of new chiral bicyclic sultams and their use as auxiliaries in asymmetric conjugate addition of Grignard reagents

M. Solymár, A. Liljeblad, L. Lázár, F. Fülöp and L. T. Kanerva 1923 Lipase-catalysed kinetic resolution in organic solvents: an approach to enantiopure α-methyl-β-alanine esters

G. Dyker, K. Breitenstein and G. Henkel 1929 Synthesis of novel chiral ligands from amino acids by the Ugi reaction

Z. Xin, C. Da, S. Dong, D. Liu, J. Wei and R. Wang 1937 A novel method for the synthesis of (*R*)-2,2′-dihydroxy-1,1′-binaphthyl-3,3′-dicarboxylic acid by asymmetric oxidative coupling of a chiral β-naphthol derivative catalyzed by CuCl

M. Shi and J.-K. Jiang 1941 An exploration of asymmetric Baylis–Hillman reactions catalyzed by quinidine-derived chiral amines

A381 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 18

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
R. Villano, M. De Rosa, C. Salerno, A. Soriente and A. Scettri	1949	Nonlinear effects and auto-induction in the asymmetric aldol condensation of synthetic equivalents of acetoacetic esters
N. Berezina, V. Alphand and R. Furstoss	1953	Microbiological transformations. Part 51: The first example of a dynamic kinetic resolution process applied to a microbiological Baeyer–Villiger oxidation
E. Risberg and P. Somfai	1957	Enantioselective addition of organolithium reagents to a 2*H*-azirine
N. Maezaki, S. Yagi, S. Ohsawa, H. Ohishi and T. Tanaka	1961	Pd-catalyzed asymmetric sulfinylzincation of 1-alkynoates using 1-alkynyl sulfoxides bearing a chiral auxiliary
C. Dufresne, D. Cretney, C. K. Lau, V. Mascitti and N. Tsou	1965	Progress towards the decalin portion of (+)-compactin
M. C. Perry, X. Cui and K. Burgess	1969	A modular approach to *trans*-chelating, *N*-heterocyclic carbene ligand complexes
		ARTICLES
C. M. Schuch and R. A. Pilli	1973	Regio- and diastereoselective synthesis of 5-*trans*-substituted and 5,5-disubstituted 2-pyrrolidinones derived from (*S*)-malic acid
S. W. Markowicz, K. Pokrzeptowicz, J. Karolak-Wojciechowska, R. Czylkowski, J. Omelańczuk and A. Sobczak	1981	Enantiomerically pure α-pinene derivatives from material of 65% enantiomeric purity. Part 1: Di[3α-(2α-hydroxy)pinane]amine
J. L. García Ruano, F. Bercial, G. González, A. M. Martín Castro and M. R. Martín	1993	Asymmetric 1,3-dipolar cycloadditions of diazoalkanes to (5*S*,S_S)-5-[(1*R*)-menthyloxy]-4-phenylsulfinyl (and phenylsulfonyl)furan-2(5*H*)-ones
J. L. García Ruano, L. González Gutiérrez, A. M. Martín Castro and F. Yuste	2003	Synthesis and dienophilic behavior of enantiomerically pure (*E*)-2-*p*-tolylsulfinylacrylonitrile derivatives
C. Cimarelli, G. Palmieri and E. Volpini	2011	Synthesis of enantiopure 2-aminoalkylphenols by stereoselective addition of Grignard reagents to chiral 2-imidoylphenols
J. Alifantes, A. G. Nichele and V. E. U. Costa	2019	Asymmetric synthesis of half-cage alcohol compounds
P. Borrachero, F. Cabrera-Escribano, Mª J. Diánez, Mª D. Estrada, M. Gómez-Guillén, A. López Castro, S. Pérez-Garrido and Mª I. Torres	2025	Higher glycosamino acid precursors: C_7 and C_8 aminodialdoses via regio- and stereoselective [3+2] cycloaddition of vinyl trimethylsilane to *C*-glycosyl nitrones
A. Kamal, G. B. R. Khanna and R. Ramu	2039	Chemoenzymatic synthesis of both enantiomers of fluoxetine, tomoxetine and nisoxetine: lipase-catalyzed resolution of 3-aryl-3-hydroxypropanenitriles
T. Zieliński, M. Achmatowicz and J. Jurczak	2053	A simple synthesis of chiral macrocyclic tetraamides derived from α-amino acids
A. Kulesza, A. Mieczkowski and J. Jurczak	2061	Diastereoselective allylation of chiral imines and a stereocontrolled route to 4-hydroxy-*N*-tosylpipecolic acid derivatives
	A397	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 19

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

T. Caruso and A. Spinella 2071 First total synthesis of natural aplyolides C and E, ichthyotoxic macrolides isolated from the skin of the marine mollusc *Aplysia depilans*

A. Krasiński and J. Jurczak 2075 The titanium-catalysed epoxidation of homoallylic α-amino alcohols

J. Drabowicz, J. Łuczak, M. Mikołajczyk, Y. Yamamoto, S. Matsukawa and K. Akiba 2079 The first enantiomerically pure, C_2-symmetric spiroselenurane: 3,3,3′,3′-tetramethyl-1,1′-spirobi[3*H*,2,1]-benzoxaselenole

T. Arai, T. Sekiguti, Y. Iizuka, S. Takizawa, S. Sakamoto, K. Yamaguchi and H. Sasai 2083 A dendrimer-supported heterobimetallic asymmetric catalyst

ARTICLES

A. Gaquere, S. Liang, F.-L. Hsu and X. R. Bu 2089 The readily available *tert*-pentyl group as a most effective simple directing group for asymmetric synthesis: a case study on Salen–Mn(III)-catalyzed epoxidation

G. Zhao, J. Hu, Z. Qian and W. Yin 2095 Enantioselective reduction of β-keto sulfones using the $NaBH_4/Me_3SiCl$ system catalyzed by polymer-supported chiral sulfonamide

Ö. Dogan, I. Öner, D. Ülkü and C. Arici 2099 Diethylzinc-mediated 1,3-dipolar cycloaddition reaction of chiral azomethine ylides: asymmetric synthesis of ferrocenyl-substituted pyrrolidine derivatives

J. Skarżewski, R. Siedlecka, E. Wojaczyńska and M. Zielińska-Błajet 2105 A new and efficient route to homochiral γ-hydroxysulfoxides and γ-hydroxysulfones

M. Panunzio, E. Bandini, E. Campana and P. Vicennati 2113 Enantioselective synthesis of protected D-serine from tetrahydrooxazin-4-one via a hetero Diels–Alder reaction

A. Alexakis and F. Amiot 2117 Enantioselective addition of organolithium reagents on isoquinoline

N. Shimizu, H. Akita and T. Kawamata 2123 Enzymatic resolution of *cis*- and *trans*-1,2,3,4,6,7,8,8a-octahydro-8a-methyl-6-*oxo*-naphthyl acetate derivatives

E. Kobrzycka, D. Gryko and J. Jurczak 2133 Asymmetric addition of 2-methylfuran and its lithiated derivative to variously *N*,*N*-protected L-alaninals

D. Chang, H.-J. Feiten, B. Witholt and Z. Li 2141 Regio- and stereoselective hydroxylation of *N*-substituted piperidin-2-ones with *Sphingomonas* sp. HXN-200

J. M. Seco, L.-H. Tseng, M. Godejohann, E. Quiñoá and R. Riguera 2149 Simultaneous enantioresolution and assignment of absolute configuration of secondary alcohols by directly coupled HPLC–NMR of 9-AMA esters

K. Ohe, K. Morioka, K. Yonehara and S. Uemura 2155 Asymmetric hydrogenation of enamides in aqueous media with a new water-soluble chiral rhodium-α,α-trehalose-derived phosphine–phosphinite catalyst

M. Shi and C.-J. Wang 2161 Axially dissymmetric binaphthyldiimine chiral Salen-type ligands for catalytic asymmetric addition of diethylzinc to aldehyde

T. Hoshi, H. Shionoiri, M. Katano, T. Suzuki and H. Hagiwara 2167 Syntheses and reactions of (R)-$(C_{10}H_6)_2M_2$ (M = $SnMeCl_2$, $SnMe_2Cl$, $SnMe(OTf)_2$, $SnMe_2OTf$, $SiMe_2I$) as novel chiral 2,2′-bis-metallic-1,1′-binaphthyl catalysts

V. Garcia-Ruiz and S. Woodward 2177 On the absolute stereochemistry of (−)-4-alkylnonan-2-ones

A429 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 20

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

P. Mazón, R. Chinchilla, C. Nájera, G. Guillena, R. Kreiter, R. J. M. Klein Gebbink and G. van Koten 2181 Unexpected metal base-dependent inversion of the enantioselectivity in the asymmetric synthesis of α-amino acids using phase-transfer catalysts derived from cinchonidine

W.-M. Dai, A. Wu and H. Wu 2187 Asymmetric Wittig reactions of chiral arsonium ylides. Part 3: Reversal of stereochemistry caused by metal cation in enantioselective olefination of 4-substituted cyclohexanones using a C_2-symmetric chiral arsine

A. Ciappa, U. Matteoli and A. Scrivanti 2193 Asymmetric catalysis in fragrance chemistry: a new synthesis of Galaxolide®

C. Neri and J. M. J. Williams 2197 Preparation of 2-oxazolidinones by enzymatic desymmetrisation

M. D. Garrett, R. Scott and G. N. Sheldrake 2201 Enantiocomplementary preparation of (*S*)- and (*R*)-1-pyridylalkanols via ketone reduction and alkane hydroxylation using whole cells of *Pseudomonas putida* UV4

K. P. Chiev, S. Roland and P. Mangeney 2205 Diastereoselective addition of organozinc reagents to chiral α-imino esters

ARTICLES

F. Segat-Dioury and L. A. Mulard 2211 Convergent synthesis of the methyl glycosides of a tetra- and a pentasaccharide fragment of the *Shigella flexneri* serotype 2a *O*-specific polysaccharide

S. Jarosz, K. Szewczyk, S. Skóra, Z. Ciunik and A. Pietrzak 2223 Stereochemistry of the Diels–Alder cyclization of sugar-derived dienes with active dienophiles

M. Amedjkouh and P. Ahlberg 2229 Synthesis of chiral diamines using novel 2-trichloromethyloxazolidin-4-one precursors derived from 5-*oxo*-proline and proline

J. Oxelbark and S. Claeson 2235 A comparison of silica and porous graphitic carbon as support materials for a chiral selector in HPLC

K. P. Pai Fondekar, F.-J. Volk, S. M. Khaliq-uz-Zaman, P. Bisel and A. W. Frahm 2241 Carbocyclic α,β-diamino acids: asymmetric Strecker synthesis of stereomeric 1,2-diaminocyclohexanecarboxylic acids

Y. Zhong, X. Lei and G. Lin 2251 Amino alcohols with the bicyclo[3.3.0]octane scaffold as ligands for the catalytic enantioselective addition of diethylzinc to aldehydes

D. Ma, X. Pu and J. Wang 2257 Efficient formal synthesis of the dendrobatid alkaloid, indolizidine (−)-209B

M. Ramírez Osuna, G. Aguirre, R. Somanathan and E. Molins 2261 Asymmetric synthesis of amathamides A and B: novel alkaloids isolated from *Amathia wilsoni*

N. Tesson, B. Dorigneux and A. Fadel 2267 Synthesis of (1*S*,2*S*)- and (1*R*,2*R*)-1-amino-2-methylcyclopropane-phosphonic acids from racemic methylcyclopropanone acetal

M. Pallavicini, C. Bolchi, L. Fumagalli, E. Valoti and L. Villa 2277 Highly efficient resolutions with isopropylidene glycerol 3-carboxy-2-naphthoate

M. Kirihara, M. Kawasaki, H. Katsumata, H. Kakuda, M. Shiro and S. Kawabata 2283 Synthesis of optically active 2,2-difluorohomoallylalcohols by lipase-catalyzed transesterification

A445 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 21

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

M. Yus, D. J. Ramón and O. Prieto 2291 Highly enantioselective addition of dialkylzinc reagents to ketones promoted by titanium tetraisopropoxide

A. Siwicka, K. Wojtasiewicz, A. Leniewski, J. K. Maurin and Z. Czarnocki 2295 Diastereoselective synthesis of some β-carboline derivatives from L-amino acids

ARTICLES

W. K. Mączka and A. Mironowicz 2299 Enantioselective hydrolysis of 1-aryl ethyl acetates and reduction of aryl methyl ketones using carrot, celeriac and horseradish enzyme systems

S. Löber, B. Ortner, L. Bettinetti, H. Hübner and P. Gmeiner 2303 Analogs of the dopamine D4 receptor ligand FAUC 113 with planar- and central-chirality

L. Palombi, M. Feroci, M. Orsini and A. Inesi 2311 Electrochemically-initiated Michael addition of chiral acetoacetic derivatives to methyl vinyl ketone: stereocontrolled construction of quaternary carbon centers

J. Murga, E. Falomir, M. Carda and J. A. Marco 2317 Erythrulose derivatives as functionalized chiral d^3 and d^4 synthons

M. D. Rozwadowska, A. Sulima and A. Gzella 2329 Synthesis, crystal structure and oxidation of (*R*)-(+)-8,9-dimethoxy-6,10b-dihydro-5*H*-thiazolo[2,3-*a*]isoquinolin-3-one

F. Levrat, H. Stoeckli-Evans and N. Engel 2335 Enantiomeric excess determination of α-amino acids by ^{19}F NMR spectroscopy of their *N,N*-dimethyl-(2,2,2-trifluoro-1-phenylethyl)amine-*C,N*)-palladium complexes

R. Gandolfi, A. Borrometi, A. Romano, J. V. Sinisterra Gago and F. Molinari 2345 Enantioselective oxidation of (±)-2-phenyl-1-propanol to (*S*)-2-phenyl-1-propionic acid with *Acetobacter aceti*: influence of medium engineering and immobilization

T. Katoh, K. Kakiya, T. Nakai, S. Nakamura, K. Nishide and M. Node 2351 A new divergent synthesis of (+)- and (−)-ferruginine utilizing PLE-catalyzed asymmetric dealkoxycarbonylation

D. Steiner, L. Ivison, C. T. Goralski, R. B. Appell, J. R. Gojkovic and B. Singaram 2359 A facile and efficient method for the kinetic separation of commercially available *cis*- and *trans*-limonene epoxide

A. Speicher and H. Roeser 2365 Enantioselective hydrolase type bioconversions of exogenous substrates using cell suspension cultures of bryophytes

V. Langlois, J. Parisot, V. Bonnet and C. Rabiller	2369	Transfer activity of bovine liver β-glucuronidase: synthesis of disaccharides containing a β-D-glucopyranuronate unit
J. M. Palomo, G. Fernández-Lorente, C. Mateo, R. Fernández-Lafuente and J. M. Guisan	2375	Enzymatic resolution of (±)-*trans*-4-(4′-fluorophenyl)-6-*oxo*-piperidin-3-ethyl carboxylate, an intermediate in the synthesis of (−)-Paroxetine
M. Solymár, F. Fülöp and L. T. Kanerva	2383	*Candida antarctica* lipase A—a powerful catalyst for the resolution of heteroaromatic β-amino esters
A. Sobolev, M. C. R. Franssen, J. Poikans, G. Duburs and A. de Groot	2389	Enantioselective lipase-catalysed kinetic resolution of acyloxymethyl and ethoxycarbonylmethyl esters of 1,4-dihydroisonicotinic acid derivatives
	A469	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 22

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
N. Monfort, A. Archelas and R. Furstoss	2399	Enzymatic transformations. Part 53: Epoxide hydrolase-catalysed resolution of key synthons for azole antifungal agents
S. Izquierdo, M. Martín-Vilà, A. G. Moglioni, V. Branchadell and R. M. Ortuño	2403	Stereodivergent syntheses of the first bis(cyclobutane) β-dipeptides
		ARTICLES
A. Bayer, L. K. Hansen and O. R. Gautun	2407	Asymmetric Diels–Alder reactions of *N*-sulfinyl dienophiles using chiral Ti(IV) Lewis acids
C. Cimarelli, G. Palmieri and E. Volpini	2417	A practical stereoselective synthesis of secondary and tertiary aminonaphthols: chiral ligands for enantioselective catalysts in the addition of diethylzinc to benzaldehyde
W. Wang, W. Min, F. Bai, L. Sun, F. Yi, Z. Wang, C. Yan, Y. Ni and Z. Zhao	2427	Temperature-dependent magnetic susceptibilities study on parity-violating phase transition of D- and L-alanine crystals
N. Imai, T. Nomura, S. Yamamoto, Y. Ninomiya and J. Nokami	2433	Preparation of highly optically active substituted 2,3-methanocinnamyl alcohols
A. Paju, T. Kanger, T. Pehk, A.-M. Müürisepp and M. Lopp	2439	Asymmetric oxidation of 3-alkyl-1,2-cyclopentanediones. Part 1: 3-Hydroxylation of 3-alkyl-1,2-cyclopentanediones
M. Nakajima, M. Saito and S. Hashimoto	2449	Selective synthesis of optically active allenic and homopropargylic alcohols from propargyl chloride
V. Schapiro, G. Cavalli, G. A. Seoane, R. Faccio and A. W. Mombrú	2453	Chemoenzymatic synthesis of chiral enones from aromatic compounds
J. Frelek, A. Klimek and P. Ruśkowska	2461	Optical activity of *vic*-amino alcohols in the presence of dimolybdenum tetracetate

J. M. Vega-Pérez, J. I. Candela, E. Blanco and F. Iglesias-Guerra	2471	Stereoselective synthesis of epoxyalkyl glycoside precursors of glycosyl glycerol analogues from alkenyl glycosides of *N*-acetyl-D-glucosamine derivatives
N. J. Alcock, I. Mann, P. Peach and M. Wills	2485	Dynamic kinetic resolution–asymmetric transfer hydrogenation of 1-aryl-substituted cyclic ketones
G. Molteni, G. Broggini and T. Pilati	2491	Diastereoselective nitrilimine cycloaddition to the C=N bond of enantiopure 1,4-benzodiazepinones
M. Chrzanowska	2497	Enantioselective addition of organometallic compounds to 3,4-dihydroisoquinoline in the presence of oxazoline derivatives: synthesis of (*R*)-(+)- and (*S*)-(−)-salsolidine
Y. H. Kim, C. S. Cheong, S. H. Lee, S. J. Jun, K. S. Kim and H.-S. Cho	2501	Lipase-catalyzed resolution of 1,3-dioxolane derivatives: synthesis of a homochiral intermediate for antifungal agents
A. E. Wróblewski and D. G. Piotrowska	2509	Enantiomerically pure *N*-Boc- and *N*-benzoyl-(*S*)-phenylglycinals
	A487	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 23

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATION
S. Pinheiro, S. F. Pedraza, M. A. Peralta, R. C. Teixeira, F. M. C. de Farias, V. F. Ferreira and P. R. R. Costa	2513	The 1,4-addition of organometallic reagents to enoates derived from pinanediol
		ARTICLES
R. Guo, T. T.-L. Au-Yeung, J. Wu, M. C. K. Choi and A. S. C. Chan	2519	Modified BINAPO ligands for Rh-catalysed enantioselective hydrogenation of acetamidoacrylic acids and esters
M. R. Saidi and N. Azizi	2523	A new protocol for the one-pot preparation of highly diastereomerically enriched secondary amines and β-amino esters mediated by lithium perchlorate solution in diethyl ether
K. Nakamura and R. Yamanaka	2529	Light-mediated regulation of asymmetric reduction of ketones by a cyanobacterium
M. Desroses, F. Chéry, A. Tatibouët, O. De Lucchi and P. Rollin	2535	Sugar-based ethenyl ethers: stereoselective dipolar cycloadditions of nitrile oxides
F. Palacios, A. M. Ochoa de Retana, J. I. Gil and J. M. Alonso	2541	Synthesis of optically active oxazoles from phosphorylated 2*H*-azirines and *N*-protected amino acids or peptides
Y. Blériot, A. Giroult, J.-M. Mallet, E. Rodriguez, P. Vogel and P. Sinaÿ	2553	Synthesis of seven- and eight-membered carbasugar analogs via ring-closing metathesis and their inhibitory activities toward glycosidases
K. Záruba and V. Král	2567	Quaternized brucine as a novel chiral selector
M. Mikołajczyk, P. Łyżwa and J. Drabowicz	2571	A new efficient procedure for asymmetric synthesis of α-aminophosphonic acids via addition of lithiated bis(diethylamino)phosphine borane complex to enantiopure sulfinimines

L. F. Solares, M. Díaz, R. Brieva, V. M. Sánchez, M. Bayod and V. Gotor	2577	Enzymatic resolution of new carbonate intermediates for the synthesis of (*S*)-(+)-zopiclone
P. Ferraboschi, D. Colombo and S. Reza-Elahi	2583	A practical chemoenzymatic approach to the synthesis of 3-hydroxy metabolites of tibolone
F. Marr, R. Fröhlich and D. Hoppe	2587	Preparation of *meso*-1,3-diphenylallyllithium-(−)-sparteine—its crystal structure and reactions
O. Illa, E. Muray, D. Amsallem, A. G. Moglioni, H. Gornitzka, V. Branchadell, A. Baceiredo and R. M. Ortuño	2593	A comparative study on the 1,3-dipolar cycloadditions of diazomethane and bis(diisopropylamino)phosphinodiazomethane to chiral electron-deficient olefins: reactivity and diastereoselectivity
D. Šterk, M. S. Stephan and B. Mohar	2605	New chiral *N*-(*N*,*N*-dialkylamino)sulfamoyl-1,2-diamine ligands for highly enantioselective transfer hydrogenation of ketones
C. F. Morelli, A. Fornili, M. Sironi, L. Durì, G. Speranza and P. Manitto	2609	Regio- and diastereoselectivity in $TiCl_4$-promoted reduction of 2-aryl-substituted *cis*-4-methyl-5-trifluoromethyl-1,3-dioxolanes
F. Couty and D. Prim	2619	Synthesis of enantiopure 2-acyl azetidines and the application of amino alcohols derived therefrom in enantioselective catalysis
	A517	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 24

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
H.-L. Wu and B.-J. Uang	2625	Asymmetric epoxidation of allylic alcohols catalyzed by new chiral vanadium(V) complexes
M. Hensel, S. Lutz-Wahl and L. Fischer	2629	Stereoselective hydration of (*RS*)-phenylglycine nitrile by new whole cell biocatalysts
		ARTICLES
A. García Martínez, E. Teso Vilar, F. Moreno Jiménez, A. M. Álvarez García and P. Pinilla Rodríguez	2635	A novel and simple procedure for the enantiospecific synthesis of bridgehead norbornane thioethers and thiocyanates
Y. Morimoto, T. Iwai, Y. Nishikawa and T. Kinoshita	2641	Stereospecific and biomimetic synthesis of C_s and C_2 symmetric 2,5-disubstituted tetrahydrofuran rings as central building blocks of biogenetically intriguing oxasqualenoids
H. Noda, K. Sakai and H. Murakami	2649	A new simple preparation of D-alloisoleucine suitable for large-scale manufacture
J. M. Palomo, G. Fernández-Lorente, C. Mateo, M. Fuentes, J. M. Guisan and R. Fernández-Lafuente	2653	Enzymatic production of (3*S*,4*R*)-(−)-4-(4′-fluorophenyl)-6-*oxo*-piperidin-3-carboxylic acid using a commercial preparation of lipase A from *Candida antarctica*: the role of a contaminant esterase
V. Setnička, M. Urbanová, S. Pataridis, V. Král and K. Volka	2661	Sol-gel phase transition of brucine-appended porphyrin gelator: a study by vibrational circular dichroism spectroscopy
A. J. Stewart, R. M. Evans, A. C. Weymouth-Wilson, A. R. Cowley, D. J. Watkin and G. W. J. Fleet	2667	2-Deoxy-L-ribose from an L-*arabinono*-1,5-lactone

E. Holder, G. Trapp, J. C. Grimm, V. Schurig and E. Lindner	2673	Synthesis and rapid enantiomeric separation of the chiral mixed ligand [5-(4-hydroxybutyl)-5′-methyl-2,2′-bipyridine]-bis(1,10-phenanthroline)-ruthenium(II) complex by electrokinetic chromatography
S. Singh, S. Kumar and S. S. Chimni	2679	Chemoenzymatic synthesis of optically active heterocyclic homoallylic and homopropargylic alcohols
Y. Yang, C. Zhang, G. Yue, P. Bie and X. Pan	2689	Studies on the synthesis of biphenylneolignans. Part 1: Enantioselective synthesis of (*S*,*S*)- and (*R*,*R*)-2,2′-dimethoxy-4-(3-hydroxy-1-propenyl)-4′-(1,2,3-trihydroxypropyl)diphenyl ether
S. Hari Krishna, M. Persson and U. T. Bornscheuer	2693	Enantioselective transesterification of a tertiary alcohol by lipase A from *Candida antarctica*
R. G. Kostyanovsky, K. A. Lyssenko, D. A. Lenev and I. A. Bronzova	2697	Competitive H-bonding in bicyclic bis-lactams: self-assembly in nanotubes or in unbalanced chiral threefold interpenetrated diamondoid network
G. Guanti, S. Perrozzi and R. Riva	2703	*O*-Protecting groups as long-range stereocontrolling elements in the addition of acetylides to 4-substituted quinolines
R. Annunziata, M. Benaglia, M. Caporale and L. Raimondi	2727	Synthesis of enantiomerically pure C_2-symmetric acyclic and cyclic 1,2-diamines via pinacol coupling of imines
D. Heller, J. Holz, I. Komarov, H.-J. Drexler, J. You, K. Drauz and A. Börner	2735	On the enantioselective hydrogenation of isomeric β-acylamido β-alkylacrylates with chiral Rh(I) complexes—comparison of phosphine ligands and substrates
	A547	Stereochemistry abstracts
	I	Instructions to contributors
	V	Author index 2002
	XIX	Volume contents 2002